





COMPACT FIXING ACCESSORIES



	= Ø 5 mm		
			= PZ2
ST		= 5000 pcs.	
60501050YA			



	= Ø 2,5 mm		
			= PZ2
ST		= 10.000 pcs.	
60101390YA			


COMPACT ADAPTERS FOR ALUMINIUM FRAME DOOR




INSTALLATION ON WIDER ALUMINIUM FRAME DOOR



INSTALLATION ON NARROW ALUMINIUM FRAME DOOR




VERY IMPORTANT
The door bracket has to be placed in vertical position with the slot facing forwards.




WIDER ALUMINIUM FRAME DOOR

Condition A



Assembling





= Ø 3,6 mm
 = 100 pcs.
 123
42918010YC
4291901000




NARROW ALUMINIUM FRAME DOOR

Condition B





Assembling



ZA	= 100 pcs.
123	
42903010YC	
42918010YC	
4291901000	

Condition C





Assembling



= Ø 3,5 mm	
ZA	= 100 pcs.
123	
42904010YC	
42918010YC	
4291901000	


Condition D




Assembling




= Ø 3,5 mm	
ZA	= 100 pcs.
123	
42905010YC	
42918010YC	
4291901000	



COMPACT	L	
164	31	37,5
244	68	74,5
355	119	125,5




COMPACT	L	
164	25	31,5
244	55	61,5
355	105	111,5



COMPACT	L	
164	27	33,5
244	60	66,5
355	105	111,5


For details refer to related sections.

ALUMINIUM ADAPTERS FIXING ACCESSORIES




42906010YA

For wider aluminium frame and for condition A, B, C, D.



60203410YA

For condition C and D.



www.italianaferramenta.com